

Smart Socket

Instructions

Before using this device, please read this manual and properly stored it for future reference

Model: TC-U9CZ-A/EU

6. Product specification

Working Voltage	AC 110V~240V
Support max power	1500W
Static electricity power consumption	< 50mW
Working temperature	-10 ~ +55°C
Working humidity	10% ~ 95%
Storage temperature	-20 ~ +70°C
Dimension	86*86*49mm

Notice:

- 1). Before installation the device, make sure the power has cut off.
- 2). The load output do not beyond than load power

- 3 -

1. Products description


The smart socket switch is the module which through the home automation terminal, to realize home electrical appliances wireless remote ON/OFF control, to provide a convenient life for people.

2. Features


- 1). Delicate and easy to installation, could replace the normal socket directly.
- 2). Dual control mode, support remote control and touch control.
- 3). Intelligent electric auto protection, save energy.
- 4). Support remote control by smart home control terminal and the relative APP.

3. Product appearance and structure

1). Appearance



2). Wire Diagram



- 1 -

4. Installation process

- A. Power off and connecting the wires
L: Live wire N: Null wire ↓ Earth wire
 - B. Take down the cover, and install to the install box
 - C. Install the cover
 - D. Power on
- Installation Request: The depth above 50mm

5. Operation Instruction

- 1). Register operation
Long press the ON/OFF button to enter registering status, meanwhile the blue back light will flashing. During the registering status, if no operation for 180sec, it could exit the registering status.
Under the registering status, if the socket received configuration command signal from the control terminal, and the back light continue on, that means the register is successful.
After the register, can manually testing the device by the control terminal.

2). ON/OFF operation

Press the ON/OFF button, to switch the socket on/off, and the indicator back light would change accordingly.

3). Electrical appliances connection

Insert the power plug of the household appliances into the electrical outlet of the smart socket.

Electrical appliances working voltage: AC110~240V

Load power: 1500W

Load type: household appliances

- 2 -