


Smart Video Intercom

by Taichuan






Features

- 8" Capacitive Touch IPS Screen
- Unique Portrait Screen Design
- Wifi connect to internet
- High capacitive CPU
- Android OS
- Video doorphone
- Support Smart home Security

Specifications

- OS: android 6.0
- CPU: 64bit 4 core Cortex-A53
- Screen: 8"IPS Touch Screen
- Resolution: 1280*800
- Memory: 1G RAM,8G flash
- Communication: RJ45(TCP/IP)
- Expanded Port: 8CH Wired Alarm Port
- Size: 119.5*199.8*13.5(mm)
- Installation method: indoor wall mounting
- Color: Gray



TC-5000MH-18F

8" Digital Touch Screen
Indoor Monitor



Android

PoE



TC-5000MH-18B

10" Digital Touch Screen
Indoor Monitor



tuya



Features

- 10" Capacitive Touch IPS Screen
- Unique Portrait Screen Design
- Wifi connect to internet
- High capacitive CPU
- Android OS
- Video doorphone
- Support Smart home Security

Specifications

- OS: android 6.0
- CPU: 64bit 4 core Cortex-A53
- Screen: 10"IPS Touch Screen
- Resolution: 1280*800
- Memory: 1G RAM,8G flash
- Communication: RJ45(TCP/IP)
- Expanded Port: 8CH Wired Alarm Port
- Size: 258.6*167*15(mm)
- Installation method: indoor wall mounting
- Color: Black


8" Face Recognition Outdoor Unit



TC-5000D-XL4



Android



PoE




Bio Recognition

Features

- Extra Fast Facial Recognition
- Top Artificial Intelligence CPU
- 8" High Resolution Touch screen
- High Definition Dual Camera
- Intercom Call to Resident
- Support IC Card Unlock
- One-piece Metal Body

Specifications

- OS: Android
- CPU: 2Cortex-A72+4Cortex-A53
- Screen: 8" Capacitive Touch Screen
- Camera: Color CMOS 2.0Mega Pixel+Infrared detection camera
- Facial Recognition: Support 10000+
- Communication: RJ45(TCP/IP), RS485, Relay unlock
- Card Type: IC, ID Card
- Power Supply: DC 12V/3A;
- Machine Dimension: 158*303*34 mm
- Embedded dimension: 145*295*55mm



TC-3000DA-X1



TC-3000DA-X2

Features


- Digital TCP/IP Intercom
- Hi-Definition Camera
- Whole Metal Body Design
- Intercom Call to Resident
- Support IC Card Unlock

Specifications

- OS: Linux
- CPU: ARM9
- Camera: Color CMOS 1.0Mega Pixel
- Communication: RJ45(TCP/IP),signal unlock
- Card Type: IC、ID Card
- Color: Black panel and silver edge
- Machine Dimension: 90*135*30.5mm
- Install Method: Wall/Flush Install



Villa Doorbell



IP Villa VDP Kit

Connected by Cat5/6
Without Configuration

7"



TC-3000MH-Z1 + TC-3000DA-X1

7"



TC-3000MH-18D + TC-3000DA-X2

Features

- Linux OS
- Color CMOS 1.0 Mega Pixel
- Video Intercom
- IC Card Unlock
- Support 3rd Party IP camera
- Support Up to 4 Indoor monitors and 2 Outdoor Units



10"



TC-5000MH-18B + TC-3000DA-X1


7"




TC-5000MH-20H + TC-3000DA-X2


Features

- Android OS
- Tuya Smart Life app
- WiFi Connect to Internet
- Support 3rd Party IP camera
- Easy to Setup
- Support Up to 4 Indoor monitors and 2 Outdoor Units



One to one without Switch/router





AHD Villa VDP Kit

Analog 4-Wire
Video Door Phone

7"



TC-X4MH-18C + TC-X4DA-01

7"



TC-X4MH-X1 + TC-X4DA-01

7"



TC-X4MH-Z1 + TC-X4DA-02

INDOOR MONITOR

Features

- Linux OS
- 7 inch Colorful TFT-LCD Screen
- Support 4 indoor monitors + 2 call panels + 2 Cameras
- Support for photo taking and storage
- Unlock/Monitor/Internal call/Record
- Motion detection and alarm
- Standard: PAL/NTSC
- TF CARD port
- ABS case

Doorbell

Features

- 1080P HD 2.0 Mega pixel Camera
- IR night vision
- 90° Angle vision
- Power by indoor monitor
- Aluminum body





TC-5000 Smart Intercom

7 "



TC-5000MH-20H

10 "



TC-5000MH-20D

10 "



TC-5000MH-20G

10 "



TC-5000D-20F

10 "



TC-5000D-20B

Features

Android OS
7 inch 2.5D IPS Touch Screen
High capacitive CPU
Wifi connect to internet
Tuya App Remote Control and Cloud Talk
Support WiFi Smart home Control

Specification

OS: android 6.0
CPU: 64bit 4 core Cortex-A53
Screen: 7"IPS Touch Screen,1240*600Pixel
Memory: 1G RAM,8G flash
Camera: HD 720P
Communication: RJ45(TCP/IP)
Expanded Port: 8CH Wired Alarm Port
Size: 181*130*15mm
Installation method: indoor wall mounting
Color: Black Panel and White Trim

Features

Android OS
10 inch IPS Touch Screen
High capacitive CPU
Wifi connect to internet
Tuya App Remote Control and Cloud Talk
Support WiFi Smart home Control

Specification

OS: android 6.0
CPU: 64bit 4 core Cortex-A53
Screen: 7"IPS Touch Screen,1240*600Pixel
Memory: 1G RAM,8G flash
Camera: HD 720P
Communication: RJ45(TCP/IP)
Expanded Port: 8CH Wired Alarm Port
Size: 252*182*14mm
Installation method: indoor wall mounting
Color: Black Panel and Night Blue Trim

Features

Android OS
10 inch 2.5D IPS Touch Screen
High capacitive CPU
Wifi connect to internet
Tuya App Remote Control and Cloud Talk
Support WiFi Smart home Control

Specification

OS: android 6.0
CPU: 64bit 4 core Cortex-A53
Screen: 7"IPS Touch Screen,1240*600Pixel
Memory: 1G RAM,8G flash
Camera: HD 720P
Communication: RJ45(TCP/IP)
Expanded Port: 8CH Wired Alarm Port
Size: 248*177*15.5mm
Installation method: indoor wall mounting
Color: Black Panel and Rose Gold Trim

Features

Extra Fast Facial Recognition
Top Artificial Intelligence CPU
10" High Resolution Touch screen
High Definition Dual Camera
Support IC Card Unlock
One-piece Metal Body

Specification

OS: Android
CPU: 2Cortex-A72+4Cortex-A53
Screen: 10" Capacitive Touch Screen
Camera: CMOS 2.0Mega Pixel+Infrared detection camera
Facial Recognition: Support 10000+
Communication: RJ45(TCP/IP),RS485,Relay unlock
Card Type: IC,ID Card
Power Supply: DC 12V/3A;
Machine Dimension: 158*303*34 mm
Embedded dimension: 145*295*55mm



Bio Recognition

TC-3000 IP Intercom



4"



TC-3000MH-T1

7"



TC-3000MH-Z1

7"



TC-3000MH-Q1

7"



TC-3000MH-W2

10"



TC-3000MH-W1

Features

Linux OS
Entrance monitoring
Call Management Center
Two-Way Intercom
8 CH wired Security Sensor Input
Visitor Image Record

Features

Linux OS
Entrance monitoring
Call Management Center
Two-way Intercom
8 CH wired Security Sensor Input
Visitor Image Record

Features

Linux OS
Entrance monitoring
Call Management Center
Two-way Intercom
8 CH wired Security Sensor Input
Visitor Image Record

Features

Linux OS
7 inch Touch Screen
Call Management Center
Two-way Intercom
8 CH wired Security Sensor Input
Visitor Image Record

Features

Linux OS
10 inch Touch Screen
Call Management Center
Two-way Intercom
8 CH wired Security Sensor Input
Visitor Image Record

Specification

OS: Linux
CPU: ARM9
Screen: 4.3" Color TFT LCD
Communication: RJ45
Expanded Port: 8CH Wired Alarm Port
Buttons: Touch Buttons
Dimension: 190*130*20mm
Color: Black with Golden bottom line
Working Voltage: DC12V-13.5V

Specification

OS: Linux
CPU: ARM9
Screen: 7" Color TFT LCD
Resolution: 800*480Pixel
Speaker: Mono 8Ω、2W
Communication: RJ45
Expanded Port: 8CH Wired Alarm Port
Buttons: Touch Buttons
Dimension: 220*131*18.5mm
Color: Golden and Silver
Working Voltage: DC12V-13.5V

Specification

OS: Linux
CPU: ARM9
Screen: 7" Color TFT LCD
Resolution: 800*480Pixel
Speaker: Mono 8Ω、2W
Communication: RJ45
Expanded Port: 8CH Wired Alarm Port
Buttons: Touch Buttons
Dimension: 276*149*20mm
Color: Black
Working Voltage: DC12V-13.5V

Specification

OS: Linux
CPU: ARM9
Screen: 7" TFT LCD Touch Screen
Resolution: 800*480Pixel
Speaker: Mono 8Ω、2W
Communication: RJ45
Expanded Port: 8CH Wired Alarm Port
Buttons: Physical Buttons
Dimension: 223*120*13.5mm
Color: White
Working Voltage: DC12V-13.5V

Specification

OS: Linux
CPU: ARM9
Screen: 10" TFT LCD Touch Screen
Resolution: 1024*600Pixel
Speaker: Mono 8Ω、2W
Communication: RJ45
Expanded Port: 8CH Wired Alarm Port
Buttons: Physical Buttons
Dimension: 285.5*157*13.5mm
Color: White
Working Voltage: DC12V-13.5V

IP Video Entry Station



TC-U9D-J



TC-U9D-F1



TC-X6DA-Z/IC



TC-X6DA-Z/ps



TC-X6DA-ZH

Specification

OS: Linux
CPU: ARM9
Screen: 3.5 " TFT-LCD
Camera: Color CMOS 1.0Mega Pixel
Keypad Type: Physical Button
Communication: RJ45(TCP/IP), RS485,Relay unlock
Card Type: IC、ID Card
Power Supply: DC 12V/3A
Color: White
Machine Dimension: 130*371*65mm
Install Method: Flush Install

Specification

OS: Linux
CPU: ARM9
Screen: 3.5 " TFT-LCD
Camera: Color CMOS 1.0Mega Pixel
Keypad Type: Touch Keypad
Communication: RJ45(TCP/IP), RS485,Relay unlock
Card Type: IC、ID Card
Power Supply: DC 12V/3A
Color: Black
Machine Dimension: 136*357*65mm
Install Method: Flush Install

Specification

OS: Linux
CPU: ARM9
Camera: Color CMOS 1.0Mega Pixel
Keypad Type: Physical Button
Communication: RJ45(TCP/IP), Electric Signal Unlock
Card Type: IC、ID Card
Power Supply: DC 12V/PoE Compatible
Color: Silver
Machine Dimension: 110*185*33.5mm
Install Method: Wall/Flush Install

Specification

OS: Linux
CPU: ARM9
Camera: Color CMOS 1.0Mega Pixel
Keypad Type: Physical Button
Communication: RJ45(TCP/IP), Electric Signal Unlock
Unlock: Password Unlock
Power Supply: DC 12V/PoE Compatible
Color: Silver
Machine Dimension: 110*185*33.5mm
Install Method: Wall/Flush Install

Specification

OS: Linux
CPU: ARM9
Camera: Color CMOS 1.0Mega Pixel
Keypad Type: Physical Button
Communication: RJ45(TCP/IP), Electric Signal Unlock
Card Type: IC、ID Card
Power Supply: DC 12V/PoE Compatible
Color: Silver
Machine Dimension: 125*300*33.5mm
Install Method: Wall/Flush Install



Modular Door Access Unit

Security Guard Machine



TC-5000MH-BA01

Android 6.0 OS
Quad-core Cortex™-A53 CPU
10 inch Capacitive Touch Screen
Covered with 2.5D Glass
1MP CMOS Camera
Call Resident
Aluminium Alloy Body
Resident Alarm Notice
Doorphone Monitoring
Dimension: 325.5*209*129mm

Host



TC-3000DA-MD/ZU/P

OS: Linux
CPU: ARM9
Camera: CMOS 1/3" 720P
90° wide angle, Led Supplement
Communication: RJ45(TCP/IP),
RS485, Door Lock Detection
Power Supply: DC 12V/1.5A/POE
Dimension: 76*76*34mm

Optional Modulares



TC-3000DA-MD/KEY

Calling Modular

Name Plates
Call Buttons
Dimension: 76*76*34mm



TC-3000DA-MD/IC


Door Open Modular

Password Unlock
IC Card Unlock(mifare S50)
Touch Buttons
Dimension: 76*76*34mm




Smart Home Life

by Taichuan



WiFi Smart Sensors


2.4GHz WiFi One-Key Connection. Do not need home gateway, you can easily achieve the intelligent control of home appliances, simple operation, easy to use.




Door magnet



Infrared sensor




Water sensor



Gas detector



Smoke detector



Alarm siren



Tuya Smart Life



Indoor Monitor



Smartphone





Taichuan Cloud Technology

Established in 1999, we are specialized in developing and manufacturing of video intercom systems, home automation and security system. Covering an area of 30,000 m² with a registered capital of ¥42.18 million, with 2 techno parks, 25 branches office and more than 500 employees across mainland China, we have our own for Software & Hardware development center, design center, SMT workshop and assembly workshop.

Taichuan serve the biggest property developers in China and our products sold throughout the world. Since 2000, Taichuan obtained the honor of "Top 5 in Chinese Security Industry". With our rich experience and considerate services, we have been recognized as a reliable supplier by many international buyers.

Committed to new product research and development, we dedicate to provide you the competitive products with the highest cost effective, high quality products and meticulous after-sales service!

